PRODUCT INFORMATION SHEET

GMO-Soya (RR and RR2), GMO-Maize (MON87429) and GMO-Rape Seed / Canola (MON88302) in Feed (negative)

PT originated REFERENCE MATERIAL (RM)

Description of the RM

Name / Material of related PT	*DLA ptGMF (2024) GMO-Determination in Feed (qualitative and quantitative): GMO-Soya (RR and RR2), GMO-Maize (MON87429) and GMO-Rape Seed / Canola (MON88302) – Sample B*
Identifier / LOT	*RM 2024-GMF B*
Expiry date	*December 2028*
Matrix	*Feed for poultry*
Physical description	*Powder*
Packaging / weight	*Sealed foile pouche / 10 g*
Storage conditions	*2-10°C, long term 2-10°C (dry and dark)*
Name and address manufacturer	***DLA - Proficiency Tests GmbH*** *Hauptstr. 80, 23845 Oering, Germany* *Tel. ++49-(0)4532-9183358, Fax. ++49(0)4102-9944976* *eMail. pt@dla-lvu.de, website. www.dla-lvu.de*

Composition of Material

Ingredients	**Sample A**	**Sample B (present sample)**	**GMO-Content**
Complete feed for laying hens (without GMO ingredients) Ingredients: Maize, wheat, steam-heated soybean meal, calcium carbonate, barley, lucerne meal, Ca-Na-phosphate, vegetable fatty acids, oats, wheat bran, sodium chloride and nutritional and technological additives Nutrients per 100 g: Crude Protein 17 g, Crude Fat 3,4 g, Crude Fiber 3,6 g, Crude Ash 11	–	100 g/100 g	–
Complementary feed for laying hens (with GMO ingredients*) Ingredients: Maize*, soybean meal*, steam-heated, calcium carbonate, Ca-Na-phosphate, wheat gluten, wheat bran, sodium chloride, vegetable fatty acids, vegetable oils as well as nutritional and technological additives Nutrients per 100 g: Crude Protein 19 g, Crude Fat 3,0 g, Crude Fiber 3,9 g, Crude Ash 17 g	49,5 g /100 g	–	positive
Rape seed feed pellets Ingredients: Rape (press residue)	7,0 g/100 g	–	–

Ingredients	Sample A	Sample B (present sample)	GMO-Content
Soya flour Ingredients: Soya flour	42,4 g/100 g	–	–
GMO Rape seed / Canola MON88302 Reference material: 100% GMO-Rape / Canola	0,27 g/100 g	–	positive
GMO Maize MON87429 Reference material: 100% GMO-Maize	0,85 g/100 g	–	positive

Note: *The metrological traceability of temperature, mass and volume during production of the PT samples is ensured by DAkkS-compliant calibrated reference materials.*

Minimum Sample Size

A minimum sample size of 5 g is recommended for sample preparation.

Reference Values

All reference values were derived from the related proficiency test (PT) round (for more details see final report).

Reference Values qualitative

Parameter	GMO-Soya GTS 40-3-2 (RR)*	GMO-Soya MON89788 (RR2)*
Number positive	0	0
Number negative	7	8
Percent positive	0	0
Percent negative	100	100
Consensus value	***negative***	***negative***

* (LODs GTS 40-3-2 and MON89788 0,01-0,1%)

Parameter	GMO-Rape / Canola MON88302*	GMO-Maize MON87429*
Number positive	0	0
Number negative	6	5
Percent positive	0	0
Percent negative	100	100
Consensus value	***negative***	***negative***

* (LODs MON88302 0,01% and MON87429 0,01-0,1%)

Intended Use

- for laboratory use only, no food!
- validation of analytical methods
- control sample for quality control charts
- test material for inter-laboratory comparisons

Storage Instructions and Handling Information

The material should be stored as stated on page 1. Before use of the material should be warmed up to room temperature. The content should be mixed thoroughly prior to subsampling (see minimum sample size above). The material should be weighed immediately after opening of the foil pouche/bottle and closed again afterwards in order to avoid uptake of moisture. Frequent freezing and thawing should be avoided as this can lead to changes in the properties of the material. The expiry date of this RM is based on the current knowledge and applies only for proper storage conditions in the originally closed foil pouche/bottle.

Safety Precautions

The usual laboratory safety precautions should be applied when working with the RM considering the type of ingredients, parameters and its concentration.

Data Source

The material was analyzed by 11 laboratories within the related proficiency test (PT). Different analytical methods have been used.

Various

The user must determine the suitability of this RM for its particular purpose. DLA makes no warranty of any kind, expressed or implied, other than its products meet all quality control standards set by DLA. We do not guarantee this product can be used for a special application.

Date: 8 January 2026

Matthias Besler-Scharf, PhD
- signed U. Vorreiter